				<u> </u>	"		<u>, </u>
HYDRAULIC PARTS & SUPPLIES BID OPENING 12-18-12 Contract term 1-1-13 to 12-31-13 upon	CERTIFIED POWER	AUTO TIRE & PARTS	SUPERIOR IND, SUPPLY	G & R INDUSTRIAL	JGB INTERPRISES INC	WM NOBBE & CO	TRACTOR TRAILER SUPPLY CO
approval by the County Council and County Executive	4035 FEE FEE RD BRIDGETON MO 63044	212 S KINGSHWY CAPE GIRARDEAU MO 63701	8525 VULCAN ST ST LOUIS MO 63111	3023 DELMAR BLVD ST LOUIS MO 63103	115 METROPOLITAN LIVERPOOL NY 13088	12615 STATE RT A ST GENEVIEVE MO 63670	2525 NATURAL BRIDGE ST LOUIS MO 63107
HYDRAULIC HOSE					***************************************	The second secon	
1/2" inch ID 2 braid hose							
Cost per Foot	\$4,45	\$3.06	\$2.86	\$3,00	\$1.30	\$4.11	\$3.16
Foot per Roll	\$2,225,00	220	250	330	\$1.30	400	250
Manufacturer	Couplamatic	Gates	Eaton/WH	Gates MZT	JGB	Parker	Goodyear
3/4" inch ID 2 braid hose							
Cost per Foot	\$7.98	\$4.86	\$4.98	\$4.97	\$1.98	\$6.67	\$4.17
Foot per Roll	\$3,990.00	220	250	220	\$1.98	230	250
Manufacturer	Couplamatic	Gates	Eaton/WH	Gates MZT	JGB	Parker	Goodyear
HYDRAULIC MOTORS/PUMPS							
White Hydraulics RS0301210					-		
List Price	\$553.68	N/A	-	NO BID	NO BID	\$474.59	N/A
Discount	33%	N/A	-	NO BID	NO BID	\$31.64	N/A
Net Price	\$370.97	N/A	-	NO BID	NO BID	\$442.95	N/A
PTO Pump Chelsea 442SRJWX-W5XK	· · · · · · · · · · · · · · · · · · ·						
List Price	\$902,37	N/A	-	NO BID	NO BID	\$612.33	\$751.97
Discount	50%	N/A	-	NO BID	NO BID	\$40.82	-40%
Net Price	\$451,19	N/A	-	NO BID	NO BID	\$571,51	\$451.18
Eaton Spinner Motor 101 1003 009			····-				
List Price	\$319.00	N/A		NO BID	\$297,91	\$364,57	\$452.00
Discount	20%	N/A	-	NO BID	-	\$24.30	-40%
Net Price	\$255,20	N/A	-	NO BID	\$279.08	\$340.27	\$271.20
White Hysraulies RS0185							
List Price	-	N/A		NO BID	NO BID	-	N/Λ
Discount	÷	N/A	-	NO BID	NO BID	-	N/A
Net Price	-	N/A	-	NO BID	NO BID	-	N/A
HYDRAULIC FITTINGS							
#8 (1/2 inch) Straight MP							
List Price	\$3.55	\$13.49	•	\$7.87	\$4.89	\$6,22	\$10,63
Discount	50%	\$9.83	-	58%	-	\$1,34	-63.5%
Net Price	\$1.78	\$3.66	\$1.78 ea	\$3,31	\$2,28	\$4.88	\$3.88
#8 (1/2 inch) 45 degree MP							
List Price	\$12.16	N/A	-	NOT MADE	NO BID	NOT AVAILABLE	\$17.67
Discount	50%	N/A	-	NOT MADE	NO BID	NOT AVAILABLE	-63,5%
Net Price	\$6.08	N/A	\$5.89	NOT MADE	NO BID	NOT AVAILABLE	\$6,45
#8 (1/2 inch) 90 degree MP							
List Price	\$8.31	\$50.24	-	NOT MADE	\$14.17	\$26,20	\$26.60
Discount	50%	\$36.57	-	NOT MADE	-	\$5.64	-63.5%
Net Price	\$4.16	\$13,67	\$5,71	NOT MADE	\$5.88	\$20.56	\$9.71
#12 (3/4 inch) Straight MP							
List Price	\$5.15	\$24.74	-	\$14.64	\$8.17	\$10,72	\$7.94
Discount	50%	\$17.84	-	58%	-	\$2,31	-63.5%
Net Price	\$2.58	\$6.90	\$2.47	\$6.15	\$3.81	\$8.41	\$2,90

HYDRAULIC PARTS & SUPPLIES BID OPENING 12-18-12 Contract term 1-1-13 to 12-31-13 upon	CERTIFIED POWER	AUTO TIRE & PARTS	SUPERIOR IND. SUPPLY	G & R INDUSTRIAL	JGB INTERPRISES INC	WM NOBBE & CO	TRACTOR TRAILE SUPPLY CO
#12 (3/4 inch) 45 degree MP							-
	826.06	NT/A		MOTALLER	NO PUD	NOW 1711 T 1717	
List Price Discount	\$26.06 50%	N/A N/A		NOT MADE	NO BID	NOT AVAILABLE	\$17.04
Net Price	\$13.03	N/A N/A	\$8.09	NOT MADE NOT MADE	NO BID	NOT AVAILABLE NOT AVAILABLE	-63.5%
	\$13.03	IVA	40,07	NOT MADE	NO BID	NOTAVAILABLE	\$6,22
#12 (3/4 inch) 90 degree MP							
List Price	\$14.15	\$89.99	-	NOT MADE	\$29,18	\$43.64	\$24.25
Discount	50%	\$64.55	-	NOT MADE	-	\$9,39	-63. 5%
Net Price	\$7.08	\$25.44	\$7,60	NOT MADE	\$13.61	\$34.25	\$8,85
#16 (1 inch) Straight MP							
List Price	\$7.80	\$47.99	-	\$28,38	\$12.21	\$23.28	\$12,97
Discount	50%	\$34.65	-	58%	-	\$5.01	-63.5%
Net Price	\$3.90	\$13.34	\$3.69	\$11.92	\$5,69	\$18.27	\$4.74
#16 (1 inch) 45 degree MP							
List Price	\$14,65	N/A		NOT MADE	NO BID	NOT AVAILABLE	\$41,42
Discount	50%	N/A	-	NOT MADE	NO BID	NOT AVAILABLE	-63.5%
Net Price	\$7,33	N/A	\$13,17	NOT MADE	NO BID	NOT AVAILABLE	\$15.12
#16 (1 inch) 90 degree MP							
List Price	\$21,05	N/A		NOT MADE	\$24.42	\$106,26	\$36,90
Discount	50%	N/A		NOT MADE	-	\$23.24	-63.5%
Net Price	\$10,53	N/A	\$14,05	NOT MADE	\$14,45	\$83.02	\$13.47
#8 MP - #8 FPX 90 degree						73333	
List Price	\$6.80	\$12,74	-	\$6,04	\$13.65	\$9.24	\$4.63
Discount	50%	\$9.25	-	48%	_	\$2.07	-63.5%
Net Price	\$3.40	\$3.49	\$4,85	\$3.14	\$1.64	\$7.57	\$1.69
#12 MP - #12 FPX 90 degree			·	· · · · · · · · · · · · · · · · ·	-		
List Price	\$11.25	\$20.24		\$10.06	\$24,09	\$15.26	\$8.63
Discount	50%	\$14.78	-	48%		\$3.28	-63.5%
Net Price	\$5.63	\$5.46	\$8.02	\$5.23	\$2,55	\$11.98	\$3,15
#8 MP - #8 FJX 90 degree							
List Price	\$9.06	\$8.99	<u>-</u>	\$23.40	\$13,10	NOT AVAILABLE	\$30.36
Discount	50%	\$6.65		58%	-	NOT AVAILABLE	-63,5%
Net Price	\$4.50	\$2,34	\$5.82	\$9,83	\$6.12	NOT AVAILABLE	\$11,08
#8 MP QD MALE							
List Price	\$10.80	\$20,24	-	\$12,56	\$20.50	\$7.96	\$40.11
Discount	20%	\$14,61	-	64%	-	\$0,49	-61.9%
Net Price	\$8.64	\$5,63	\$11.48	\$4.52	\$9.03	\$7.47	\$15.28
#8 MP QD FEMALE							 -
List Price	\$24.50	\$43.49	-	\$26.75	\$50.00	\$18.31	\$91.50
Discount	20%	\$31.28	-	64%	<u>-</u>	\$1.10	-61.9%
Net Price	\$19.60	\$12.21	\$27,90	9.63	\$22,00	\$17.21	\$36.60
#12 MP QD MALE				-			
List Price	\$16.40	\$68,99		\$26,75	\$30.50	\$25.55	\$366,84
Discount	20%	\$49,54	-	64%	-	\$1,53	-61.9%
Net Price	\$13.12	\$19.45	\$23,23	\$9,63	\$10.23	\$24.02	\$139,75
#12 MP QD FEMALE							
List Price	\$38.50	\$148,49		\$52,41	\$75.00	\$56.38	\$430,36
Discount	20%	\$106.15	-	64%	-	\$3,38	-61.9%
Net Price	\$30.80	\$42.34	\$37,10	\$18.87	\$25.17	\$53,00	\$163.95

HYDRAULIC PARTS & SUPPLIES BID OPENING 12-18-12 Contract term 1-1-13 to 12-31-13 unon	CERTIFIED POWER	AUTO TIRE & PARTS	SUPERIOR IND. SUPPLY	G & R INDUSTRIAL	JGB INTERPRISES INC	WM NOBBE & CO	TRACTOR TRAILER SUPPLY CO
GL400 JCH Brand-Storm guard							
List Price	\$2,450,00	N/A	•	NO BID	NO BID	\$1,452.50	N/A
Discount	30%	N/A	-	NO BID	NO BID	\$96.83	N/A
Net Price	\$1,715.00	N/A	-	NO BID	NO BID	\$1,355,67	N/A
Freedom Control 2,1							
List Price	\$1,563,28	N/A	-	NO BID	NO BID	\$1,004.97	N/A
Discount	40%	N/A		NO BID	NO BID	\$67.00	N/A
Net Price	\$937.97	N/A		NO BID	NO BID	\$937.97	N/A
Freedom Control 2.2							
List Price	\$1,963,28	N/A	-	NO BID	NO BID	\$1,262.11	N/A
Discount	40%	N/A	-	NO BID	NO BID	\$84.14	N/A
Net Price	\$1,177.97	N/A	-	NO BID	NO BID	\$1,177.97	N/A
AFFIDAVIT COMPLETED	YES	NO	NO	YES	YES	YES	YES
COPY OF INSURANCE PROVIDED	NO	NO	NO	YES	NO	NO	YES
COMMENTS:	Current old stock lift out- Certified Power does not have a mechanism for the removal of your old inventory since we do not inventory the Gates product we would not have a market for that product line offering. Hydraulic Hose Machines- Certified Power can only offer new eqipment to be sold to Jefferson County. Stationary machines complete with collets to crimp the Couplamatic product line from 1/4" - 1 1/4" sizes would cost \$6,129.81. Portable machines complete with collets and hand pump to crimp Couplamatic product line from 1/4" - 1 1/4" sizes would cost \$4,485.15. An option price of an addition \$302.64 for the air over hydraulic pump supply.	Intt out and give out 100% credit for any 1 piece hydraulic fittings. Auto Tire & Parts can not give credit on cut hose, hose assemblies, or 2 piece hydraulic fittings. Auto Tire & Parts will provide	SEE ATTACHMENT	#8 - #8 F3X list price-\$10.75 discount-58% net price-\$4.52 #12 - #12 F3X list price -\$18.28 discount-58% net price-\$7.68 SEE ATTACHMENT	SEE ATTACHMENT		SEE ATTACHMENT



8525 Vulcan St. St. Louis, Missouri 63111 p 314.638.6500 f 314.638.3110 www.sisupply.com

Hydraulic Hose Machine

Superior Industrial Supply will provide to the Jefferson County Highway Department Main Service Shop an Eaton/Weatherhead model #ET420-005 crimper with electric/hydraulic pump and crimp collets with capacity 4" ID thru 1-1/4" ID for EN 853 style 2-wire braid hydraulic hose.

The #ET420-005 will be placed on loan to Jefferson County, and remains the property of Superior Industrial Supply.

All repairs and maintenance to the #ET420-005 will be the responsibility of the Jefferson County Highway Department.

Additional hose crimping and cutting equipment for service trucks may be purchased at cost from Superior Industrial Supply as follows:

Model #ET1000-16 Hand Pump Unit w/Tooling	\$3,160.00 ea.
Model #ET1000-17 Air Pump Unit w/Tooling	\$3,495.00 ea.

Model #TGA02335 Metabo 14" Heavy Duty Chop Saw \$225.00 ea.

Old Stock Lift (Hose and fittings only)

Superior Industrial Supply will, at no cost to Jefferson County, inventory all items to be lifted, identify what is obsolete and what can be sold, and identify the best outlets and channels to maximize return on saleable inventory.

Proceeds from the sale of the inventory will be credited to Jefferson County's account with Superior Industrial Supply.

Documentation

All documentation, including E-Verify, insurance certificates, affidavit of work authorization, and notary, will be provided upon award of bid.

Crimping Machines - Stationary


Coll-O-Crimp Super I, T-420


Refer to pages A-2 and A-3 and machine operator's manuals for safety information.

T-420 • Coll-O-Crimp Super I Packages for Z-Series

-4 thru -16 (no -10), one-wire and two-wire

Package Number	ET420-002	ET420-003
Power Source	220V	110V
Contents Press	T-420-1	T-420-1
Hose Assembly	T-410-22	T-410-22
Pump	T-421U	T-421U-110
Adapter Ring	T-420-25	T-420-25
Z-Series Collets*	ET420TP-0001	ET420TP-0001
* 0 * 11 00		





The Coll-O-Crimp Super I is a versatile machine ideal for your shop, factory. construction, and mine locations. Big capacity combined with leveractivated crimping gives you wide coverage and a quick and simple way to make factory-quality hose assemblies.

Capacity

3/16" I.D. 1 fiber braid through 1-1/4" 6 spiral hose*: for hose other than 4 and 6 spiral, conversion tooling is required. See page N-36 for details.

*Will not crimp 4SP/6SP ends

Mounting

Bench or C-40X cabinet.

See pages N-68-70 for cabinet (not included).

Size

22" high, 10" wide, 20-1/2" deep

Weight

210 lbs.



A CAUTION

The Coll-O-Crimp power source has the pressure relief valve set at 4000 to 4200 PSI. Damage to the press will result if higher pressures are used and warranty will be voided.

T-420-N • Coll-O-Crimp Super I - 220V Package T-420N-110 • Coll-O-Crimp Super I - 110V Package

Includes one each of the following (with respective pump):

Catalog Number	Description
T-420-1	Coll-O-Crimp Super I Press and T-420-M Instructions
T-421U or T-421U-11	10 220v or 110V Electric Pump
T-400-2C	"U" Series Collet– 1/4"
T-400-3C	"U" Series Collet– 3/8"
T-400-4C	"U" Series Collet- 1/2"
T-400-5C	"U' Series Collet- 3/4"
T-400-6C	"U" Series Collet-1"
T-400-10	Spacer Ring-Black
T-400-11	Spacer Ring-Silver
T-400-62	Spacer Ring Yellow
T-410-22	36" Pump to Press Hose Assembly
T-420-25	Adapter Ring for T-400 Series Collets
T-420-4CN	430 "U" Series Collet- 1/2"
T-420-5CN	430 "U" Series Collet-3/4"
T-420-6CN	430 'U' Series Collet-1"
T-420-7CN	430 'U' Series Collet- 1-1/4*

ET420-004 Coll-O-Crimp I - 220V Package ET420-005 Coll-O-Crimp I - 110V Package

Both Packages include the following (with respective pump):

Catalog Number	Description
T-420-1	Coll-O-Crimp Super I
T-421U or T-421U-1	110 220v or 110V Electric Pump
ET400DC-M150S	'Z' Series Collet-1/4"
ET400DC-M195S	'Z' Series Collet-3/8"
ET400DC-M230S	'Z' Series Collet 1/2"
T-420-85C	'Z' Series Collet-5/8"
T-420-86C	'Z' Series Collet-3/4"
ET420DC-M380S	'Z' Series Collet—1"
T-400-10	Spacer Ring- Black
T-400-62	Spacer Ring-Yellow
T-420-80R	Spacer Ring-Black/White
ET1000SR-M190D	Spacer Ring-Light Green
ET420SR-M255A	Spacer Ring-Black/Grey
ET420SR-M495A	Spacer Ring- Brown
T-410-22	36" Pump to Press Hose Assembly
T-420-25	Adapter Ring for T-400 Series Collets
T-420-4CN	430 'U' Series Collet- 1/2"
T-420-5CN	430 'U' Series Collet- 3/4"
T-420-6CN	430 'U' Series Collet-1"
T-420-7CN	430 'U' Series Collet- 1-1/4"



Crimping Machines - Portable

ET1000 Portable Crimp Machine

ET1000 • Portable Crimp Machine



CAUTION

Refer to pages A-2 and A-3 and machine operator's manuals for safety information.



The completely PORTABLE ET1000 crimp machine boasts a broad crimp capability with an ease-of-use that is sure to please hose assemblers. With three power source options - air/hydraulic, hand, and electric - this portable machine can travel to the worksite. The machine comes equipped with a stand pre-drilled for mounting to a workbench or table-top.

The ET1000 Portable Crimp Machine is a mid-size machine positioned between the other two popular portable crimp machines (the T-460 and T-480).

Capacity

Coll-O-Crimp U series hose ends and applicable hoses in sizes 1/4" through 1-1/4"

Coll-O-Crimp Z Series hose ends and applicable hoses in sizes 1/4' through 1-1/4"

Coll-O-Crimp 430U Series hose ends and applicable hoses in sizes 3/8" through 3/4"

Mounting

Work bench or table top

Weight

70 lbs. (less pump)

Tooling

Standard Coll-O-Crimp collets and spacer rings. Uses the same tooling as the T-420 machine.

Pump Kits

(pump kits contain hose assembly and fittings to attach pump to machine)

ET1000PK-001 Hand Pump

ET1000PK-002, Air/Hydraulic Pump

ET1000PK-003 110 Volt Electric Pump

Pump Only

(does not include hose assembly or fittings)

T-480-2 Hand Pump

T-482-2 Air/Hydraulic Pump T-481-110 110 Volt Electric Pump

Ordering Options

ET1000-001	Basic machine (no pump)
ET1000-002	Machine with hand pump*
ET1000-003	Machine with air/hydraulic pump*
ET1000-004	Machine with 110 volt electric pump*

^{*} Includes hose assembly and fittings to attach pump to machine.

Note: Collets and spacers not included in kits. Must be ordered separately. See pages N-26-32 for part numbers.

Note: ET1000AR-001 adapter die ring required to Crimp T-400 and ET400 series collets. Not included in kits and must be ordered separately.

Repair and replacement items

ET1000C-0001	Stand
ET1000C-0006	Pusher
ET1000AR-001	Adapter Ring
T-400-G	1.5 oz. Tube High Efficiency Teflon® Grease

Additional repair and replacement items are available. Refer to the owner's manual or contact Eaton for information.

Teflon® is a registered trademark of DuPont used under license by Eaton.

ET1000 • Portable Coll-O-Crimp Packages for Z-Series

-4 thru -16 (no -10), one-wire and two-wire

Package Number	ET1000-016	ET1000-017	ET1000-018
Power Source	Hand Pump	Air/Hydraulic	110V
Contents Press, Pump and Hose Ass	ET1000-002 embly	ET1000-003	ET1000-004
Adapter Ring	ET1000AR-001	ET1000AR-001	ET1000AR-001
Z-Series Collets*	ET1000TP-0001	ET1000TP-0001	ET1000TP-00

^{*} See page N-30





G&R INDUSTRIAL SUPPLY CO. INC.

3023 DELMAR BLVD.

ST.LOUIS, MO 63103

FAX: 314-533-8309 PHONE: 314-533-8300

EMAIL: GRINDUSTRIAL@ATT.NET

Current Old Stock Lift out:

Not applicable because your old stock is the same Manufacturer that we are quoting.

Hydraulic Hose Machines:

We will loan out 7 portable crimp machines (4-20 crimper) and 1 shop mounted crimp machine (PC707) with a stock up order of \$6500.00.

Each machine will be brand new and include dies to crimp \(\frac{1}{2} \) to 1" diameter hose. The portable crimp machines will include a new shop air pump for each machine. The shop mounted machine will include a new 115v pump.

These machines will remain the property of G & R Industrial Supply Co.

Chop Saw:

Please see specifications on attached sheet.

Price: \$700.00



EQUIPMENT

HOSE/CPLG. SELECTION

G8K Couplings

GLOBALSPIRAL COUPLINGS

PCM/PCS FERRULES

MEGACRIMP COUPLINGS

STAINLESS STEEL

POWER CRIMP COUPLINGS

LOC, GL AND GLP COUPLINGS

POLARSEAL COUPLINGS

POLARSEAL
II COUPLINGS

C14 COUPLINGS

PCTS THERMO-PLASTIC COUPLINGS

FIELD ATTACHABLE G1 AND G2 COUPLINGS

FIELD ATTACHABLE C5 AND C5E COUPLINGS

SURELOK AIR BRAKE COUPLINGS

ADAPTERS

QUICK DISCONNECT COUPLERS

LIVE SWIVEL

BALL VALVES

ACCESSORIES

EQUIPMENT AND PARTS

MobileCrimp® 4-20 Crimper

This lightweight, versatile crimper is powerful enough to crimp up to 1-1/4" four spiral-wire hose Weighing approximately 57 pounds, this new field crimper combines the latest crimping technology with old-fashioned toughness and durability.

Digital Dial Control

Just dial in appropriate crimp setting and hold the start button until light comes on and buzzer sounds, then release. Ability to lock-in setting for multiple assemblies. Light and buzzer operate on two "AAA" batteries.

Product Number: 7480-0051



Accessories Product Number

Crimper-to-Pump Male Quick Disconnect Crimper-to-Pump Female Quick Disconnect 7252-8831 7252-8830

MobileCrimp® 4-20 Die Selection Table

For MegaCrimp® (G25) Couplings

Hose Sizes							
Hose Type	1/4"	3/8"	1/2"	5/8"	3/4"	1"	1-1/4"
M3K	MC21 or MC31	MC22 or MC32	MC33	MC34	MC35	MC37	—
M2T	MC21 or MC31	MC22 or MC32	MC33	MC34	MC35	MC37	_
G1	MC21 or MC31	MC22 or MC32	MC33	MC34	MC35	MC37	MC39
G2	MC21 or MC31	MC22 or MC32	MC33	MC34	MC35	MC37	MC39

For other hose and coupling configurations, reference www.gates.com/ecrimp or

For GlobalSpiral™ (G20) Couplings

Hose Sizes						
Hose Type	3/8"	1/2"	5/8"	3/4"	1"	1-1/4"
EFG6K	MC33	MC33	MC35	MC35	MC37	_
EFG5K	MC33	MC33	MC35	MC35	MC37	-
EFG4K	MC33	MC33	MC35	MC35	MC37	MC39*

*MGS (G21 series) couplings only.

DIE SEIS (ordered separately)


Die Set	MC21/MC31	MC22/MC32	MC33	MC34	MC35	MC37	MC39
Product No.	7482-1220/1018	7482-1221/1019	7482-1133	7482-1134	7482-1135	7482-1137	7482-1139



Gates crimp data manual.

MobileCrimp® 4-20 Power Sources

Wide selection of pumps to match all your power needs.



Hand Pump

No power source needed. Economical, convenient and portable for use anywhere. Make factory-quality assemblies in the field to minimize downtime.

Product Number: 7481-0006 **Pressure Rating:** 10,000 psi

Weight: 25.6 lbs.

Shop Air Pump

Works off standard shop air (90 psi). Economical, convenient and versatile for use wherever 90 psi compressed air is available.

Product Number: 7481-0002 **Pressure Rating:** 10,000 psi

Weight: 10 lbs.





1/2 HP 115 Volt AC Pump

Medium speed. Economical. Recommended for a stationary or mobile application.

Product Number: 7481-0034 Pressure Rating: 10.000 psi


Weight: 32 lbs.

1-1/2 HP 115 Volt AC Pump

High speed. Recommended for stationary applications only.

Product Number: 7481-0035 **Pressure Rating:** 10,000 psi

Weight: 108 lbs.





1/4 HP 12 Volt DC Pump

Mobile operation, runs on standard 12 volt car/truck battery or a 12 volt portable battery pack, Ideal for tough jobs in the field.

Product Number: 7481-0037 **Pressure Rating:** 10,000 psi

Weight: 20.5 lbs.



gates.com/hydraulics

EQUIPMENT

HOSE/CPLG.

G8K COUPLINGS

GLOBALSPIRAL COUPLINGS

PCM/PCS FERRULES

MEGACRIMP COUPLINGS

STAINLESS STEEL

POWER CRIMP COUPLINGS

LOC, GL AND GLP COUPLINGS

POLARSEAL COUPLINGS

POLARSEAL II COUPLINGS

C14 Couplings

PCTS THERMO-PLASTIC COUPLINGS

FIELD ATTACHABLE G1 AND G2 COUPLINGS

ATTACHABLE C5 AND C5E COUPLINGS

SURELOK AIR BRAKE COUPLINGS

ADAPTERS

QUICK DISCONNECT COUPLERS

LIVE SWIVEL

BALL VALVES

ACCESSORIES

EQUIPMENT AND PARTS



EQUIPMENT

HOSE/CPLG. SELECTION

G8K Couplings

GLOBALSPIRAL COUPLINGS

PCM/PCS FERRULES

MEGACRIMP COUPLINGS

STAINLESS STEEL

POWER
CRIMP
COUPLINGS

LOC, GL AND GLP Couplings

POLARSEAL COUPLINGS

POLARSEAL II COUPLINGS

C14 COUPLINGS

PCTS THERMO-PLASTIC COUPLINGS

FIELD ATTACHABLE G1 AND G2 COUPLINGS

FIELD ATTACHABLE C5 AND C5E COUPLINGS

SURELOK AIR BRAKE COUPLINGS

ADAPTERS

QUICK DISCONNECT COUPLERS

LIVE SWIVEL

BALL VALVES

ACCESSORIES


EQUIPMENT AND PARTS

Power Crimp® 707

Gates Power Crimp 707 is the most precise, yet simplest crimper made. It was the first crimper with electronic digital readout to indicate gauge setting.

The toughest part about using the 707 is pushing a button. It takes just a few seconds to make factory-quality hose assemblies.

Crimps most hydraulic hoses from low pressure return lines to extremely high pressure spirals, from 3/16" to 1-1/4" I.D. Crimps straight and bent tube couplings, plus 45° and 90° block types. Can also be adapted for use as a power swager.



SPECIFICATIONS

Product Number: 7480-0043

Standard PC707 without die sets wired for 115 volts (includes die backup ring and a notched cone),

Production Rate: 100 assemblies per hour (using 1/2" I.D. two-wire straight thread assemblies).

Dimensions: 13" wide by 12" deep by 26-1/2" high.

Weight: 188 lbs.

PC707 230V Converter Kit

Converts crimper and pump **Product Number:** 7482-0499

Power Crimp® 707 Die Selection Table

For MegaCrimp® (G25) Couplings

		Hose Sizes					
Hose Type	1/4"	3/8"	1/2"	5/8"	3/4"	1"	1-1/4"
МЗК	721 or 731	722 or 732	733	734	735	737	_
M2T	721 or 731	722 or 732	733	734	735	737	
G1	721 or 731	722 or 732	733	734	735	737	739
G2	721 or 731	722 or 732	733	734	735	737	739

For GlobalSpiral™ (G20) Couplings

	Hose Sizes					
Hose Type	3/8"	1/2"	5/8"	3/4"	1 ¹¹	1-1/4"
EFG6K	733	733	735	735	737	_
EFG5K	733	733	735	735	737	
EFG4K	733	733	735	735	737	739

For other hose and coupling configurations, reference www.gates.com/ecrimp or Gates crimp data manual.

Die Sets (ordered separately)

	and the same of					
Die Set 721/731	722/732	733	734	735	737*	739*
Product No. 7482-1217/0931	7482-1218/0932	7482-0933	7482-0934	7482-0935	7482-0937	7482-0939

^{*} Must Use No-Notch Die Cone.

Die Cones: No-Notch Product Number: 7482-0297. Notched Product Number: 7482-0239.

Power Crimp® Power Source

The flows of two fixed displacement pumps are combined to deliver a high volume of oil at low pressure for fast transversion.



SPECIFICATIONS

Product Number: 7481-0023

(115 volt, 30 amp, circuit, 1 h.p., 60 cycles) **Dimensions:** 12" wide by 25" deep by 12" high.

Weight: 70 lbs.

Maximum Working Pressure: 4,900 psi.

PC707 230V Converter Kit

Converts crimper and pump **Product Number:** 7482-0499







EQUIPMENT

HOSE/CPLG. SELECTION

GRK COUPLINGS

GLOBALSPIRAL COUPLINGS

PCM/PCS **FERRULES**

MEGACRIMP COUPLINGS

STAINLESS STEEL

POWER CRIMP COUPLINGS

LOC, GL AND GLP COUPLINGS

POLARSEAL COUPLINGS

POLARSEAL 11 COUPLINGS

C14 COUPLINGS

PCTS THERMO-PLASTIC COUPLINGS

FIELD ATTACHABLE G1 AND G2 COUPLINGS

FIELD ATTACHABLE C5 AND C5E COUPLINGS

SURELOK AIR BRAKE COUPLINGS

ADAPTERS

QUICK DISCONNECT COUPLERS

LIVE SWIVEL

BALL VALVES

ACCESSORIES


EQUIPMENT AND PARTS

Work Bench

Product Number: 7484-0020

Dimensions: 36" wide by 24" deep by 36" tall

This new hydraulic work bench is ideal for holding either the Power Crimp® 707 or MobileCrimp® 4-20 crimpers as well as hydraulic saws. The lower shelf can be used for storage or as shown with the pump. It is made of an angle iron frame construction with a high-density fiberboard top and welded 13-gauge steel lower shelf. All hardware is included to allow for easy assembly in about 10 minutes.



Hydraulic Coupling Bin

Product Number: 7484-0007

The 24-bin cabinet is constructed of heavy gauge steel. Cabinet measures 34" wide by 24" high by 12" deep. Excellent for storing large 1-1/4" to 2" I.D. couplings.

Coupling Bin Boxes


Bin boxes for hydraulic couplings. Corrugated cardboard design gives extra strength. Includes four dividers per box.

Product Number: 7484-0008

Measures: 5" wide by 4-1/2" high by 11" deep.

Product Number: 7484-0009

Measures: 7-1/2" wide by 4-1/2" high by 11" deep.



Gates Hose Cutter Model 2-24

For two-wire braid hose through 1-1/2" ID.

Product Number: 7480-6600

Clean Easy Cuts - Safe Operation

FEATURES:

- Cuts up to 1-1/2" I.D. two-wire braid reinforced hose.
- Designed to operate on standard 20 amp service.
- Reversible 8" scalloped-edge, high-speed steel blade with 5/8" bore can be sharpened.
- Radius hose feed into blade for safety and reduced friction.
- Inner blade guard for safe operation.

SPECIFICATIONS

Power Source: 1-1/2 HP (2.6 HP Peak), 115V, 60 Hz., 15 Amp motor with power cord and plug.

Dimensions: 13" wide by 24" length by 17" high.

Weight: 65 lbs.



Replacement Blade

Product Number: 7793-0113



J.G.B. Enterprises, Inc. Hydraulic Equipment Lease with Option to Purchase

Attachment 1 Payment Schedule

Yearly lease payment of \$1.00 (One Dollar and 00/100) is based on yearly purchase of hydraulic hose and fittings of \$5000.00 or more. If lessee does not maintain a minimum purchase of \$5000.00 per year, the schedule below will be used in determining the lease payment for the following year.

\$4,000-4999 \$250.00 per year \$3,000-3999 \$500.00 per year \$2,000-2999 \$750.00 per year

If the sales are less than \$2,000 J.G.B. Enterprises, Inc. reserves the right to remove the crimper from the LESSEE's site, or the LESSEE may opt to purchase the crimper for the amount specified in the lease agreement, line item 4:ai.

LESSOR: J.G.B. Enterprises, Inc.	LESSEE:
Signature: Authorized Signature	Signature
Printed Name:	Printed Name:
Title:	Title:
Date:	Date:

Current Ole Stock Lift Out

Tractor Trailer Supply Co. with the cooperation of Goodyear MFG will lift the old inventory consisting of crimp fittings and hoses. The product price of the return will be at the net price of the bid.

In order for Tractor Trailer Supply Co. and Goodyear MFG to supply the requested crimpers on a loan program; the value of the return must be \$40,000.00. For amounts under \$40,000.00, the equipment will be prorated. For example, if the return is only valued at \$36,000.00, Tractor Trailer Supply Co. covers 90% of the cost of equipment, and Jefferson County will cover 10%.

Hose Machine Requested

	Stationary Crimper	
1 Each	PC125	\$2274.02
	PC125-Skit	\$3046.16
	Portable Crimper	
5 Each	PC125M	\$1145.88
	PC125M-Skit	\$1918.48
	PC125	\$441.72
	Hand Pump Crimper	•
2 Each -	- PC125M	\$1145.88
	PC125M-Skit	\$1918.47
	PC125	\$256.37
	Chop Saw	
1 Each -	- Dewalt 14" DWT-D28715	\$222.16